

Name: \_\_\_\_\_

Date of Birth: \_\_\_\_/\_\_\_\_/\_\_\_\_

## Part I: Tuberculosis (TB) Screening Questionnaire (to be completed by incoming students)

Please answer the following questions:

Have you ever had close contact with persons known or suspected to have active TB disease?  Yes  No

Were you born in one of the countries or territories listed below that have a high incidence of active TB disease? (If yes, please CIRCLE the country, below)  Yes  No

Afghanistan	Comoros	Iraq	Mozambique	South Africa
Algeria	Congo, <i>Dem. Rep.</i>	Kazakhstan	Myanmar	South Sudan
Angola	Congo, <i>Rep.</i>	Kenya	Namibia	Sri Lanka
Argentina	Côte d'Ivoire	Kiribati	Nauru	Sudan
Armenia	Djibouti	Korea, <i>Dem. People's Rep.</i>	Nepal	Suriname
Azerbaijan	Dominica	Korea, <i>Rep.</i>	Nicaragua	Tajikistan
Bangladesh	Dominican Republic	Kyrgyz Republic	Niger	Taiwan
Belarus	Ecuador	Lao <i>People's Democratic Republic</i>	Nigeria	Tanzania
Belize	El Salvador		Niue	Thailand
Benin	Equatorial Guinea		Northern Mariana Islands	Timor-Leste
Bhutan	Eritrea	Latvia	Pakistan	Togo
Bolivia	Eswatini	Lesotho	Palau	Tunisia
Bosnia and Herzegovina	Ethiopia	Liberia	Panama	Turkmenistan
Botswana	Fiji	Libya	Papua New Guinea	Tuvalu
Brazil	French Polynesia	Lithuania	Paraguay	Uganda
Brunei Darussalam	Gabon	Madagascar	Peru	Ukraine
Burkina Faso	Gambia, The	Malawi	Philippines	Uruguay
Burundi	Georgia	Malaysia	Qatar	Uzbekistan
Cabo Verde	Ghana	Maldives	Romania	Vanuatu
Cambodia	Greenland	Mali	Russian Federation	Venezuela ( <i>Bolivarian Republic of</i> )
Cameroon	Guam	Malta	Rwanda	Vietnam
Central African Republic	Guatemala	Marshall Islands	Sao Tome and Principe	Yemen, <i>Rep.</i>
Chad	Guinea	Mauritania	Senegal	Zimbabwe
China	Guinea-Bissau	Mexico	Sierra Leone	
China, <i>Hong Kong SAR</i>	Guyana	Micronesia ( <i>Federated States of</i> )	Singapore	
China, <i>Macao SAR</i>	Haiti	Moldova	Solomon Islands	
Colombia	Honduras	Mongolia	Somalia	
	India	Morocco		
	Indonesia			

Source: World Health Organization, *Global Tuberculosis Report (2020)*. Incidence of Tuberculosis (per 100,000 people).

Have you had frequent or prolonged visits\* to one or more of the countries or territories listed above with a high prevalence of TB disease? (If yes, CHECK the countries or territories, above)  Yes  No

Have you been a resident and/or employee of high-risk congregate settings (e.g., correctional facilities, long-term care facilities, and homeless shelters)?  Yes  No

Have you been a volunteer or health care worker who served clients who are at increased risk for active TB disease?  Yes  No

Have you ever been a member of any of the following groups that may have an increased incidence of latent *M. tuberculosis* infection or active TB disease: medically underserved, low-income, or abusing drugs or alcohol?  Yes  No

**If the answer is YES to any of the above questions**, Babson College/Olin College requires that you receive TB testing as soon as possible, but should take place no sooner than six months prior to the start of your first semester. Please have your doctor complete and sign the TB Clinical Assessment on pages 2 and 3 including documentation of testing as directed.

**If the answer to all of the above questions is NO**, no further testing or further action is required.

\* The significance of the travel exposure should be discussed with a health care provider and evaluated



Name: \_\_\_\_\_ Date of Birth: \_\_\_\_/\_\_\_\_/\_\_\_\_

**3. Interferon Gamma Release Assay (IGRA) - Lab result must be attached.**

Date Obtained: \_\_\_\_/\_\_\_\_/\_\_\_\_ (specify method) QFT-GIT T-Spot other \_\_\_\_  
M D Y

Result: negative\_\_\_\_ positive\_\_\_\_ indeterminate\_\_\_\_ borderline\_\_\_\_ (T-Spot only)

**4. Chest x-ray: (Required if TST or IGRA is positive) Please attach a copy of the X-ray report (no discs or films)**

Date of chest x-ray: \_\_\_\_/\_\_\_\_/\_\_\_\_ Result: normal\_\_\_\_ abnormal\_\_\_\_  
M D Y

**Part III. Management of Positive TST or IGRA**

All students with a positive TST or IGRA with no signs of active disease on chest x-ray should receive a recommendation to be treated for latent TB with appropriate medication. However, students in the following groups are at increased risk of progression from LTBI to TB disease and should be prioritized to begin treatment as soon as possible.

- Infected with HIV
- Recently infected with *M. tuberculosis* (within the past 2 years)
- History of untreated or inadequately treated TB disease, including persons with fibrotic changes on chest radiograph consistent with prior TB disease
- Receiving immunosuppressive therapy such as tumor necrosis factor-alpha (TNF) antagonists, systemic corticosteroids equivalent to/greater than 15 mg of prednisone per day, or immunosuppressive drug therapy following organ transplantation
- Diagnosed with silicosis, diabetes mellitus, chronic renal failure, leukemia, or cancer of the head, neck, or lung
- Have had a gastrectomy or jejunioileal bypass
- Weigh less than 90% of their ideal body weight
- Cigarette smokers and persons who abuse drugs and/or alcohol

\_\_\_\_\_ Student agrees to receive treatment

\_\_\_\_\_ Student declines treatment at this time

\_\_\_\_\_  
Health Care Professional Signature

\_\_\_\_\_  
Date

Babson Student Health Services  
231 Forest Street, Suite 130 Hollister  
Hall Babson Park, MA 02457  
Phone: 781-239-6363  
Fax: 781-239-5069