

Name: _____ Date of Birth: _____ / _____ / _____

Part I: Tuberculosis (TB) Screening Questionnaire (to be completed by incoming students)

Please answer the following questions:

Have you ever had close contact with persons known or suspected to have active TB disease? Yes No

Were you born in one of the countries or territories listed below that have a high incidence of active TB disease? (If yes, please CIRCLE the country, below) Yes No

Afghanistan	Comoros	India	Namibia	Somalia
Algeria	Congo	Indonesia	Nauru	South Africa
Angola	Côte d'Ivoire	Iraq	Nepal	South Sudan
Anguilla	Democratic People's Republic of Korea	Kazakhstan	Nicaragua	Sri Lanka
Argentina	Democratic Republic of the Congo	Kenya	Niger	Sudan
Armenia	Djibouti	Kiribati	Nigeria	Suriname
Azerbaijan	Dominican Republic	Kuwait	Niue	Tajikistan
Bangladesh	Ecuador	Kyrgyzstan	Northern Mariana Islands	Taiwan
Belarus	El Salvador	Lao People's Democratic Republic	Pakistan	Thailand
Belize	Equatorial Guinea	Latvia	Palau	Timor-Leste
Benin	Eritrea	Lesotho	Panama	Togo
Bhutan	Eswatini	Liberia	Papua New Guinea	Tokelau
Bolivia (Plurinational State of)	Ethiopia	Libya	Paraguay	Trinidad and Tobago
Bosnia and Herzegovina	Fiji	Lithuania	Peru	Tunisia
Botswana	French Polynesia	Madagascar	Philippines	Turkmenistan
Brazil	Gabon	Malawi	Portugal	Tuvalu
Brunei Darussalam	Gambia	Malaysia	Qatar	Uganda
Bulgaria	Georgia	Maldives	Republic of Korea	Ukraine
Burkina Faso	Ghana	Mali	Republic of Moldova	United Republic of Tanzania
Burundi	Greenland	Marshall Islands	Romania	Uruguay
Cabo Verde	Guam	Mauritania	Russian Federation	Uzbekistan
Cambodia	Guatemala	Mexico	Rwanda	Vanuatu
Cameroon	Guinea	Micronesia (Federated States of)	Sao Tome and Principe	Venezuela (Bolivarian Republic of)
Central African Republic	Guinea-Bissau	Mongolia	Senegal	Vietnam
Chad	Guyana	Morocco	Sierra Leone	Yemen
China	Haiti	Mozambique	Singapore	Zambia
China, Hong Kong SAR	Honduras	Myanmar	Solomon Islands	Zimbabwe

Source: World Health Organization Global Health Observatory, Tuberculosis Incidence 2019. Countries with incidence rates of ≥ 20 cases per 100,000 population. For future updates, refer to <http://www.who.int/tb/country/en/>. https://worldhealthorg.shinyapps.io/tb_profiles/

Have you had frequent or prolonged visits* to one or more of the countries or territories listed above with a high prevalence of TB disease? (If yes, CHECK the countries or territories, above) Yes No

Have you been a resident and/or employee of high-risk congregate settings (e.g., correctional facilities, long-term care facilities, and homeless shelters)? Yes No

Have you been a volunteer or health care worker who served clients who are at increased risk for active TB disease? Yes No

Have you ever been a member of any of the following groups that may have an increased incidence of latent *M. tuberculosis* infection or active TB disease: medically underserved, low-income, or abusing drugs or alcohol? Yes No

If the answer is YES to any of the above questions, Babson College/Olin College requires that you receive TB testing as soon as possible, but should take place no sooner than six months prior to the start of your first semester. Please have your doctor complete and sign the TB Clinical Assessment on pages 2 and 3 including documentation of testing as directed.

If the answer to all of the above questions is NO, no further testing or further action is required.

* The significance of the travel exposure should be discussed with a health care provider and evaluated

Name: _____ Date of Birth: ____/____/____

3. Interferon Gamma Release Assay (IGRA) - Lab result must be attached.

Date Obtained: ____/____/____ (specify method) QFT-GIT T-Spot other ____
M D Y

Result: negative____ positive____ indeterminate____ borderline____ (T-Spot only)

4. Chest x-ray: (Required if TST or IGRA is positive) Please attach a copy of the X-ray report (no discs or films)

Date of chest x-ray: ____/____/____ Result: normal____ abnormal____
M D Y

Part III. Management of Positive TST or IGRA

All students with a positive TST or IGRA with no signs of active disease on chest x-ray should receive a recommendation to be treated for latent TB with appropriate medication. However, students in the following groups are at increased risk of progression from LTBI to TB disease and should be prioritized to begin treatment as soon as possible.

- Infected with HIV
- Recently infected with *M. tuberculosis* (within the past 2 years)
- History of untreated or inadequately treated TB disease, including persons with fibrotic changes on chest radiograph consistent with prior TB disease
- Receiving immunosuppressive therapy such as tumor necrosis factor-alpha (TNF) antagonists, systemic corticosteroids equivalent to/greater than 15 mg of prednisone per day, or immunosuppressive drug therapy following organ transplantation
- Diagnosed with silicosis, diabetes mellitus, chronic renal failure, leukemia, or cancer of the head, neck, or lung
- Have had a gastrectomy or jejunioileal bypass
- Weigh less than 90% of their ideal body weight
- Cigarette smokers and persons who abuse drugs and/or alcohol

_____ Student agrees to receive treatment

_____ Student declines treatment at this time

Health Care Professional Signature

Date

Babson Student Health Services
231 Forest Street, Suite 130 Hollister Hall
Babson Park, MA 02457
Phone: 781-239-6363
Fax: 781-239-5069