

Name: \_\_\_\_\_ Date of Birth: \_\_\_\_/\_\_\_\_/\_\_\_\_

**Part I: Tuberculosis (TB) Screening Questionnaire** (to be completed by incoming students)

Please answer the following questions:

Have you ever had close contact with persons known or suspected to have active TB disease?  Yes  No

Were you born in one of the countries or territories listed below that have a high incidence of active TB disease? (If yes, please CIRCLE the country, below)  Yes  No

Afghanistan	Congo	Iran (Islamic Republic of)	Namibia	Singapore
Algeria	Côte d'Ivoire	Iraq	Nauru	Solomon Islands
Angola	Democratic People's Republic of Korea	Kazakhstan	Nepal	Somalia
Anguilla		Kenya	Nicaragua	South Africa
Argentina	Democratic Republic of the Congo	Kiribati	Niger	South Sudan
Armenia		Kuwait	Nigeria	Sri Lanka
Azerbaijan	Djibouti	Kyrgyzstan	Northern Mariana Islands	Sudan
Bangladesh	Dominican Republic	Lao People's Democratic Republic	Pakistan	Suriname
Belarus	Ecuador	Latvia	Palau	Swaziland
Belize	El Salvador	Lesotho	Panama	Tajikistan
Benin	Equatorial Guinea	Liberia	Papua New Guinea	Thailand
Bhutan	Eritrea	Libya	Paraguay	Timor-Leste
Bolivia (Plurinational State of)	Estonia	Lithuania	Peru	Togo
Bosnia and Herzegovina	Ethiopia	Madagascar	Philippines	Trinidad and Tobago
Botswana	Fiji	Malawi	Poland	Tunisia
Brazil	French Polynesia	Malaysia	Portugal	Turkmenistan
Brunei Darussalam	Gabon	Maldives	Qatar	Tuvalu
Bulgaria	Gambia	Mali	Republic of Korea	Uganda
Burkina Faso	Georgia	Marshall Islands	Republic of Moldova	Ukraine
Burundi	Ghana	Mauritania	Romania	United Republic of Tanzania
Cabo Verde	Greenland	Mauritius	Russian Federation	Uruguay
Cambodia	Guam	Mexico	Rwanda	Uzbekistan
Cameroon	Guatemala	Micronesia (Federated States of)	Saint Vincent and the Grenadines	Vanuatu
Central African Republic	Guinea	Mongolia	Sao Tome and Principe	Venezuela (Bolivarian Republic of)
Chad	Guinea-Bissau	Montenegro	Senegal	Viet Nam
China	Guyana	Morocco	Serbia	Yemen
China, Hong Kong SAR	Haiti	Mozambique	Seychelles	Zambia
China, Macao SAR	Honduras	Myanmar	Sierra Leone	Zimbabwe
Colombia	India			
Comoros	Indonesia			

Source: World Health Organization Global Health Observatory, Tuberculosis Incidence 2014. Countries with incidence rates of  $\geq 20$  cases per 100,000 population. For future updates, refer to <http://www.who.int/tb/country/en/>.

Have you had frequent or prolonged visits\* to one or more of the countries or territories listed above with a high prevalence of TB disease? (If yes, CHECK the countries or territories, above)  Yes  No

Have you been a resident and/or employee of high-risk congregate settings (e.g., correctional facilities, long-term care facilities, and homeless shelters)?  Yes  No

Have you been a volunteer or health care worker who served clients who are at increased risk for active TB disease?  Yes  No

Have you ever been a member of any of the following groups that may have an increased incidence of latent *M. tuberculosis* infection or active TB disease: medically underserved, low-income, or abusing drugs or alcohol?  Yes  No

**If the answer is YES to any of the above questions**, Babson College requires that you receive TB testing as soon as possible, prior to the start of the semester. Have your physician complete the Tuberculosis (TB) clinical assessment on pages 2 and 3 with additional testing and/or documentation.

**If the answer to all of the above questions is NO**, no further testing or further action is required.

\* The significance of the travel exposure should be discussed with a health care provider and evaluated.



Name: \_\_\_\_\_ Date of Birth: \_\_\_\_/\_\_\_\_/\_\_\_\_

### 3. Interferon Gamma Release Assay (IGRA)

Date Obtained: \_\_\_\_/\_\_\_\_/\_\_\_\_ (specify method) QFT-GIT T-Spot other\_\_\_\_  
M D Y

Result: negative\_\_\_\_ positive\_\_\_\_ indeterminate\_\_\_\_ borderline\_\_\_\_ (T-Spot only)

### 4. Chest x-ray: Required if TST or IGRA is positive Please attach a copy of the report (no discs or films)

Date of chest x-ray: \_\_\_\_/\_\_\_\_/\_\_\_\_ Result: normal\_\_\_\_ abnormal\_\_\_\_  
M D Y

## Part III. Management of Positive TST or IGRA

All students with a positive TST or IGRA with no signs of active disease on chest x-ray should receive a recommendation to be treated for latent TB with appropriate medication. However, students in the following groups are at increased risk of progression from LTBI to TB disease and should be prioritized to begin treatment as soon as possible.

- Infected with HIV
- Recently infected with *M. tuberculosis* (within the past 2 years)
- History of untreated or inadequately treated TB disease, including persons with fibrotic changes on chest radiograph consistent with prior TB disease
- Receiving immunosuppressive therapy such as tumor necrosis factor-alpha (TNF) antagonists, systemic corticosteroids equivalent to/greater than 15 mg of prednisone per day, or immunosuppressive drug therapy following organ transplantation
- Diagnosed with silicosis, diabetes mellitus, chronic renal failure, leukemia, or cancer of the head, neck, or lung
- Have had a gastrectomy or jejunioileal bypass
- Weigh less than 90% of their ideal body weight
- Cigarette smokers and persons who abuse drugs and/or alcohol

••Populations defined locally as having an increased incidence of disease due to *M. tuberculosis*, including medically underserved, low-income populations

\_\_\_\_\_ Student agrees to receive treatment

\_\_\_\_\_ Student declines treatment at this time

\_\_\_\_\_  
Health Care Professional Signature

\_\_\_\_\_  
Date

(\_\_\_\_) \_\_\_\_\_

Telephone

(\_\_\_\_) \_\_\_\_\_

Fax